

Eaton 8D015F35PDL

Catalog Number: 8D015F35PDL

Aluminium square flange receptacle, Nickel plating, without male contacts, polarization D; 8D015F35PDL

General specifications



Product Name	Catalog Number
Eaton Souriau D38999 SIII / 8D series milaero connectors	8D015F35PDL
Product Length/Depth	34.12 mm
Product Height	Product Width
31 mm	31 mm
Product Weight	
17 g	

Product specifications

Resources

Fitted with:

Shielding

Connector orientation

D

Connector type

Receptacle

Contact delivery

Not delivered

Contact gender

Pin (Male)

Coupling type

Thread

Degree of protection

IP67

Layout

35

Plating

Nickel

Shell continuity

1.0

Shell material

Aluminium

Shell size

15

Mating cycles

500

Operating temperature - max

200 °C

Operating temperature - min

-65 °C

Receptacle type

Square Flange Receptacle

Number Of Contacts

37

Number of cavity #22D

Drawings

[8d015f35pdl-c.pdf](#)

Salt spray

48 hour

Working voltage (Vrms)

1300 V



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)