

## Specifications

# Eaton 8STA21026PA

Catalog Number: 8STA21026PA

Aluminium oval flange receptacle, Black Zinc Nickel plating, with male PCB contacts; 8STA21026PA

### General specifications



Product Name	Catalog Number
Eaton Souriau 8STA series lightweight miniature connector	8STA21026PA
Product Length/Depth	33.5 mm
Product Height	Product Width
32 mm	19.5 mm
Product Weight	
7.1 g	

## Product specifications

## Resources

Fitted with:

Shielding

Environmental conditions

RoHS

REACH

Connector accessory option

No backshell possibility

Connector orientation

A

Connector type

Receptacle

Contact delivery

Loaded

Contact gender

Pin (Male)

Contact plating

Gold

Contact type

PCB

Coupling type

1/3 Bayonet

Degree of protection

IP67

Insert material

Peek

Layout

26

Plating

Black Zinc Nickel

Shell continuity

10.0

Shell material

Aluminium

Shell size

10

Mating cycles

500

Operating temperature - max

175 °C

Operating temperature - min

-55 °C

Receptacle type

Oval Flange Receptacle

Number Of Contacts

26

Number of cavity #26

26

Salt spray

48 hour



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)