

Eaton JMXFH1G06MSUDSU

Catalog Number: JMXFH1G06MSUDSU

Push-pull plastic IP68 plug, layout 1-06, male solder contacts, keying G, without color coding; JMXFH1G06MSUDSU

General specifications



Product Name	Catalog Number
Eaton Souriau JMX series plastic push-pull connector	JMXFH1G06MSUDSU
Product Length/Depth	57 mm
Product Height	Product Width
19 mm	19 mm
Product Weight	
12 g	

Product specifications

Resources

Current rating

6 A IEC

6 A UL

Environmental conditions

Flammability rating UL94 V0

REACH

RoHS

Backshell angle

Straight

Backshell type

Sealing Gland

Connector accessory option

Delivered with connector

Connector type

Plug

Contact gender

Pin (Male)

Contact plating

Gold

Contact type

Solder Cup

Coupling type

Push-Pull

Degree of protection

IP68

Layout

6

Plug type

Straight Plug

Shell material

Plastic

Shell size

1

Mating cycles

2000

Operating temperature - max

Drawings

[C0002PPP1A.pdf](#)

125 °C

Operating temperature - min

-40 °C

Number Of Contacts

6



Eaton Corporation plc
Eaton House

30 Pembroke Road
Dublin 4, Ireland

Eaton.com

© 2024 Eaton. All Rights
Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)