# Eaton M1H11SC2H

## Catalog Number: M1H11SC2H

Eaton Cooper Power series M-Force three-phase switch, 15.5 kV, 900A, 110 kV, 2.25" BC, 28' round pipe 1.0" O.D., Cycloaliphatic epoxy, Steel - 2 point lift, Lightning arrester brkts, Horizontal upright, Reciprocating

#### General specifications

#### **Product Name**

**Catalog Number** Eaton Cooper Power series M-Force M1H11SC2H three-phase switch UPC Product Length/Depth 88 in 22.5 in

**Product Width** 

22.4 in

Compliances Not Applicable

786689708702 **Product Height** 

**Product Weight** 330 lb

Certifications

IEEE Std 1247 IEEE Std C37.34





### Description

Control rod and mechanism

28' round pipe 1.0" O.D.

Crossarm material Steel - two point lift

Insulator bolt pattern 2.25" BC

Material type Cycloaliphatic epoxy

Switch type M-Force switch

#### **Electrical Ratings**

Amperage Rating 900A Basic impulse level 110 kV Number of phases Three-phase

Voltage rating

15.5 kV

#### M-Force Switch

M-force - optional configurations Lightning arrester brkts

Mounting configuration (M-force only) Horizontal upright

Operating handle configuration (M-force only) Reciprocating

#### Resources

Brochures M-Force Three-Phase Switch Catalog

Specifications and datasheets

Eaton Specification Sheet - M1H11SC2H



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia