

Specifications

Eaton UTSX1JC1210PZ

Catalog Number: UTSX1JC1210PZ

In line receptacle, with cable gland backshell, for 10 male contacts, IP68/69K, keying Z; UTSX1JC1210PZ

General specifications



Product Name	Catalog Number
Eaton Souriau UTSX series plastic circular bayonet connector	UTSX1JC1210PZ
Product Length/Depth	74 mm
Product Height	Product Width
30.1 mm	30.1 mm
Product Weight	
32 g	

Product specifications

Resources

[Environmental conditions](#)

RoHS

[Backshell angle](#)

straight

[Backshell type](#)

Sealing Gland

[Connector accessory option](#)

Delivered with connector

[Connector orientation](#)

Z

[Connector type](#)

Receptacle

[Contact delivery](#)

Not delivered

[Contact gender](#)

Pin (Male)

[Contact type](#)

Crimp

[Coupling type](#)

1/3 Bayonet

[Layout](#)

10

[Shell material](#)

Plastic

[Shell size](#)

12

[Mating cycles](#)

250

[Operating temperature - max](#)

105 °C

[Operating temperature - min](#)

-40 °C

[Receptacle type](#)

In-Line Receptacle

[Number Of Contacts](#)

[Drawings](#)

UTSX0003AC.pdf

Number of cavity #20

10

Salt spray

500 hour



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)