



 PRODUCT-DETAILS

S3L 160 1000V R50 Im=500 4p F F N=100%

S3L 160 1000V R50 Im=500 4p F F N=100%



General Information

Extended Product Type	S3L 160 1000V R50 Im=500 4p F F N=100%
Product ID	1SDA050444R1
ABB Type Designation	BKR S3L 50A 4P T/M IEC 1000VDC
EAN	8015644505981
Catalog Description	S3L 160 1000V R50 Im=500 4p F F N=100%
Long Description	CIRCUIT-BREAKER ISOMAX S3L 160 1000V FOUR-POLE FIXED WITH FRONT TERMINALS AND THERMOMAGNETIC RELEASE AC R 50-500 A FULLY RATED

Ordering

EAN	8015644505981
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	178 mm
-------------------	--------

Product Net Height	233 mm
Product Net Depth / Length	0.1035 m
Product Net Weight	3.5 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	233 mm
Package Level 1 Depth / Length	178 mm
Package Level 1 Gross Weight	7.3 kg
Package Level 1 EAN	8015644505981

Additional Information

Product Main Type	SACE Isomax
Product Name	Moulded Case Circuit Breaker
Suitable For	Isomax S3
Suitable for Product Class	Isomax

Technical

Power Loss	30 W
Sub-type	S3

Certificates and Declarations

Data Sheet, Technical Information	ITSCE-604050012
Declaration of Conformity - CE	1SDL000286R001
Instructions and Manuals	ITSCE-601780022 ITSCE-605071013

Classifications

Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Isomax

Low Voltage Products and Systems → Circuit Breakers → Service → Replacements

Low Voltage Products and Systems → Service → Replacement → Replacement of Non Active Products

