




PRODUCT-DETAILS

TMF 50-500 4p F F XT2 4p UL/CSA

TMF 50-500 4p F F XT2 4p UL/CSA



General Information

| | |
|-----------------------|---------------------------------|
| Extended Product Type | TMF 50-500 4p F F XT2 4p UL/CSA |
| Product ID | 1SDA075658R1 |
| EAN | 8015644796358 |
| Catalog Description | TMF 50-500 4p F F XT2 4p UL/CSA |
| Long Description | TMF 50-500 4p F F XT2 4p UL/CSA |

Environmental

| | |
|---------------------------|-----------------|
| Environmental Information | 9AKK108467A6707 |
|---------------------------|-----------------|

Material Compliance

| | |
|-------------------|--|
| REACH Declaration | 9AKK108466A1425 |
| RoHS Information | 9AKK108466A1424 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Conflict Minerals | 9AKK108467A5658 |

Reporting Template
(CMRT)

| | |
|--|-----------------|
| Toxic Substances Control Act - TSCA | 9AKK108467A8326 |
|--|-----------------|

Ordering

| | |
|------------------------|---------------|
| EAN | 8015644796358 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85389099 |

Dimensions

| | |
|--------------------|------|
| Product Net Weight | 1 kg |
|--------------------|------|

Container Information

| | |
|-----------------------------------|---------------|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Width | 145 mm |
| Package Level 1 Height | 75 mm |
| Package Level 1 Depth / Length | 95 mm |
| Package Level 1 Gross Weight | 1.1 kg |
| Package Level 1 EAN | 8015644796358 |

Additional Information

| | |
|--|-------------------------|
| Circuit Breaker Type to be Associated | Power Distribution |
| Product Main Type | Accessories for Tmax XT |
| Product Name | Accessory |
| Product Type | Accessory |
| Suitable For | XT2 |
| Suitable for Product Class | SACE Tmax XT |

Technical

| | |
|---------------------------------|---------------------------------|
| Configuration Type | Loose or configurable |
| Current Type | AC/DC |
| Number of Poles | 4 |
| Order Multiple | 1 piece |
| Rated Current (I _n) | 50 A |
| Release | TMF |
| Release Type | TM |
| Standards | UL489 |
| Terminal Connection Type | Fixed Circuit-Breakers Front |

Certificates and Declarations

| | |
|-----------------------------------|---|
| Data Sheet, Technical Information | 1SDC210200D0206 1SDC210199D0206 |
| Declaration of Conformity - CE | Refer to the EU Declaration of the relative Circuit Breaker |
| Instructions and Manuals | 1SDH000721R0505 |

Classifications

| | |
|---------------|--|
| ETIM 8 | EC001023 - Shunt release (for power circuit breaker) |
| ETIM 9 | EC001023 - Shunt release (for power circuit breaker) |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass | V11.1 : 27370418 |

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

