



 PRODUCT-DETAILS

E6.2V-A/E 4000 Ekip Touch LSIg 4p FHR

E6.2V-A/E 4000 Ekip Touch LSIg 4p FHR



General Information

Extended Product Type	E6.2V-A/E 4000 Ekip Touch LSIg 4p FHR
Product ID	1SDA113781R1
EAN	8056221043144
Catalog Description	E6.2V-A/E 4000 Ekip Touch LSIg 4p FHR
Long Description	C.BREAKER SACE EMAX2 E6.2V-A/E 4000 UL FIXED FOUR-POLE WITH TERMINALS REAR VERTICAL AND SOLID-STATE RELEASE IN AC EKIP/TOUCH-LSIG R 4000 FITTED WITH: 4 AUXILIARY CONTACT AND C.BREAKER IN POSITION OPEN-CLOSED

Material Compliance

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	Document availability on demand
Toxic Substances Control Act - TSCA	9AKK108467A8326

Ordering

EAN	8056221043144
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	762 mm
Product Net Height	371 mm
Product Net Depth / Length	270 mm
Product Net Weight	112 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	515 mm
Package Level 1 Height	610 mm
Package Level 1 Depth / Length	1127 mm
Package Level 1 Gross Weight	163 kg
Package Level 1 EAN	8056221043144

Additional Information

Product Main Type	SACE Emax 2
Product Name	Air Circuit Breaker
Product Type	Air Circuit Breaker
Version	F

Technical

Current Type	AC
Electrical Durability	U _e = 730 V 400 cycle 10 cycles per hour
Mechanical Durability	12000 cycle 60 cycles per hour
Neutral Pole Current ([% I _n])	100 %
Number of Poles	4
Power Loss	476 W
Rated Current (I _n)	4000 A
Rated Insulation Voltage (U _i)	730 V
Rated Operational Voltage	730 V
Rated Voltage (U _r)	730 V
Release	Ekip Touch LSiG
Release Type	EL
Remarks	UL1066 760V
Short-Circuit Performance Level	N

Standards	UL
Sub-type	E6.2
Terminal Connection Type	Rear flat Horizontal

Technical UL/CSA

Interrupting Rating acc. to UL1066	(730 V AC) 65 kA
------------------------------------	------------------

Certificates and Declarations

Data Sheet, Technical Information	1SXU200040C0201
Declaration of Conformity - CE	9AKK106713A5544
Instructions and Manuals	1SDH001000R0002

Classifications

ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.1 : 27370409

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2

