



PRODUCT-DETAILS

DR MPACT F.1 A/S 1600 3p to E2.2/MS int

DR MPACT F.1 A/S 1600 3p to E2.2/MS int

General Information

| | |
|-----------------------|---------------------------------------------------------------------------------|
| Extended Product Type | DR MPACT F.1 A/S 1600 3p to E2.2/MS int |
| Product ID | 1SDA119639R1 |
| EAN | 8056221141659 |
| Catalog Description | DR MPACT F.1 A/S 1600 3p to E2.2/MS int |
| Long Description | Direct Replacement MPACT Frame 1 A/S 1600 3p to E2.2/MS - Service customization |

Technical

| | |
|-------------------------------------------------------------|---------------|
| Standards | IEC |
| Current Type | AC |
| Rated Voltage (U_r) | 690 V |
| Rated Operational Voltage | 690 V AC |
| Rated Current (I_n) | 1600 A |
| Rated Short-time Withstand Current Low Voltage (I_{cw}) | for 1 s 40 kA |
| Number of Poles | 3 |

| | |
|--------------------|-------------------------------------------|
| Version | W |
| Configuration Type | Mounted only |
| Product Type | Direct Replacement GE MPACT to Emax 2 IEC |
| Sub-type | E2.2 |

Material Compliance

| | |
|---------------------------------------------|------------------------------------------------------------------------|
| RoHS Information | 9AKK108466A1424 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| REACH Declaration | 9AKK108466A1425 |
| Conflict Minerals Reporting Template (CMRT) | Document availability on demand |

Dimensions

| | |
|----------------------------|--------|
| Product Net Width | 318 mm |
| Product Net Height | 374 mm |
| Product Net Depth / Length | 376 mm |

Ordering

| | |
|-----------------------|-----------------------|
| Package Level 1 Units | pallet (lift) 1 piece |
| EAN | 8056221141659 |

Installation

| | |
|--------------------------|-----------------|
| Instructions and Manuals | 1SDH002095A1001 |
| Wiring Diagram | 1SDM000034A1001 |

Popular Downloads

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SDC200109L0201 |
|-----------------------------------|-----------------|

Classifications

| | |
|----------------|------------------------------------------------------------|
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Business |
| CN8 | 85362090 |

Additional Information

| | |
|-------------------|----------------------------------|
| Product Main Type | Low Voltage retrofit with Emax 2 |
|-------------------|----------------------------------|

Categories

Low Voltage Products and Systems → Service → Extensions, Upgrades and Retrofits → Retrofits