



## PRODUCT-DETAILS

**RF ME3207H 3200 4p F VV to E4.2 int**

## RF ME3207H 3200 4p F VV to E4.2 int

**General Information**

Extended Product Type	RF ME3207H 3200 4p F VV to E4.2 int
Product ID	1SDA123145R1
EAN	8056221229999
Catalog Description	RF ME3207H 3200 4p F VV to E4.2 int
Long Description	Hard Bus Retrofill ME3207H 3200 4p Fixed with VR-VR terminals to E4.2 - Service customization

**Technical**

Standards	IEC
Current Type	AC
Rated Voltage ( $U_r$ )	690 V
Rated Operational Voltage	690 V AC
Rated Current ( $I_n$ )	3200 A
Rated Ultimate Short-Circuit Breaking Capacity ( $I_{cu}$ )	(400 V AC) 100 kA (415 V AC) 100 kA (440 V AC) 100 kA (500 V AC) 90 kA

Rated Short-time Withstand Current Low Voltage ( $I_{cw}$ )	(690 V AC) 80 kA for 1 s 65 kA
Rated Service Short-Circuit Breaking Capacity ( $I_{cs}$ )	(400 V AC) 100 kA (415 V AC) 100 kA (440 V AC) 100 kA (500 V AC) 90 kA (690 V AC) 80 kA
Rated Service Short-Circuit Breaking Capacity, in % of $I_{cu}$ ( $I_{cs}$ )	100 %
Number of Poles	4
Version	F
Configuration Type	Mounted only
Product Type	Hard Bus Retrofit AEG ME07 Fixed to Emax 2 IEC
Sub-type	E4.2

## Material Compliance

RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108466A1425
Conflict Minerals Reporting Template (CMRT)	Document availability on demand

## Dimensions

Product Net Width	601 mm
Product Net Height	490 mm
Product Net Depth / Length	393 mm

## Ordering

Package Level 1 Units	pallet (lift) 1 piece
EAN	8056221229999

## Installation

Instructions and Manuals	1SDH002161A1001
Wiring Diagram	1SDM000039A1001

## Popular Downloads

Data Sheet, Technical Information	1SDC200119L0201
-----------------------------------	-----------------

## Classifications

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business

CN8

85362090

---

### Additional Information

Product Main Type

Low Voltage retrofit with Emax 2

---

### Categories

Low Voltage Products and Systems → Service → Extensions, Upgrades and Retrofits → Retrofits