



## PRODUCT-DETAILS

**DR E6H/MS 6300 3p CCC to E6.2/MS int****DR E6H/MS 6300 3p CCC to E6.2/MS int****General Information**

Extended Product Type	DR E6H/MS 6300 3p CCC to E6.2/MS int
Product ID	1SDA127496R1
EAN	8056221298636
Catalog Description	DR E6H/MS 6300 3p CCC to E6.2/MS int
Long Description	Direct Replacement E6H/MS 6300 3p to E6.2/MS - Service customization

**Technical**

Standards	CCC
Current Type	AC
Rated Voltage ( $U_r$ )	690 V
Rated Operational Voltage	690 V AC
Rated Current ( $I_n$ )	6300 A
Rated Short-time Withstand Current Low Voltage ( $I_{cw}$ )	for 1 s 100 kA
Number of Poles	3

Version	W
Configuration Type	Mounted only
Product Type	Direct Replacement ABB Emax, New Emax to Emax 2 CCC
Sub-type	E6.2

## Material Compliance

RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108466A1425
Conflict Minerals Reporting Template (CMRT)	Document availability on demand

## Dimensions

Product Net Width	795 mm
Product Net Height	418 mm
Product Net Depth / Length	393 mm

## Ordering

Package Level 1 Units	pallet (lift) 1 piece
EAN	8056221298636

## Installation

Instructions and Manuals	1SDH002028A1001
Wiring Diagram	1SDM000004A1001 1SDM000004A1002

## Popular Downloads

Data Sheet, Technical Information	1SDC001052L0201
-----------------------------------	-----------------

## Classifications

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85362090

## Additional Information

Product Main Type	Low Voltage retrofit with Emax 2
-------------------	----------------------------------

---

## Categories

---

Low Voltage Products and Systems → Service → Extensions, Upgrades and Retrofits → Retrofits