




---

 PRODUCT-DETAILS

## E2.2S-A 800 Ekip Hi-Touch LSI 3p F HR + Acc

### E2.2S-A 800 Ekip Hi-Touch LSI 3p F HR + Acc




---

**General Information**

|                       |  |
|-----------------------|--|
| Extended Product Type | E2.2S-A 800 Ekip Hi-Touch LSI 3p F HR + Acc  |
| Product ID            | 1SDX203400R1   |
| EAN                   | 8057558143316  |
| Catalog Description   | E2.2S-A 800 Ekip Hi-Touch LSI 3p F HR + Acc  |
| Long Description      | E2.2S-A 800 Ekip Hi-Touch LSI 3p F HR + Kit VR Sup E2.2 F 3pcs UL INST + Kit VR Inf E2.2 F 3pcs UL INST + YO E1.2..E6.2-XT7-XT7M 24 VAC/DC + YC E1.2..E6.2-XT7M 24 VAC/DC + M E2.2...E6.2 100-130 VAC/DC + PBC Prot.Pushb. AP/CH D=8mm E2.2..E6.2 + Sealable trip unit cover E2.2...E6.2 + Ekip 4K E2.2..E6.2 Black + EKIP SUPPLY 24-48VDC E1.2..E6.2-Tmax XT + EKIP COM MODBUS RS-485 E1.2..E6.2 + EKIP LINK E1.2..E6.2 + EKIP 2K-1 E1.2..E6.2-Tmax XT + EKIP COM ACTUATOR E1.2..E6.2-XT7-XT7M + Bluetooth disabled<br>ExCo |

---

**Additional Information**

|                              |                               |
|------------------------------|-------------------------------|
| Battery Chemical Composition | Alkaline Manganese<br>Lithium |
| Battery Type                 | Button Cell                   |
| Battery Weight               | 6.8 g                         |
| CN8                          | 85362090                      |

|                          |  |
|--------------------------|--|
| Country of Origin        | Italy (IT)   |
| Customs Tariff Number    | 85362090   |
| EAN                      | 8057558143316  |
| Invoice Description      | E2.2S-A 800 Ekip Hi-Touch LSI 3p F HR + Acc                |
| Minimum Order Quantity   | 1 piece  |
| Number of Batteries      | 1  |
| Order Code US and Canada | Z2SCUFJJ52NRMAANK5XX                                       |
| Package Level 1 EAN      | 8057558143316  |
| Package Level 1 Units    | box 1 piece  |
| Product Main Type        | SACE Emax 2  |
| Product Name             | Air Circuit Breaker  |
| Selling Unit of Measure  | piece  |
| Short Description        | E2.2S-A 800 Ekip Hi-Touch LSI 3p F HR + Acc                |
| WEEE B2C / B2B           | Business To Business                                       |
| WEEE Category            | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Product Configuration

| Identifier   | Description                             | Quantity | Type                |
|--------------|---|----------|---------------------|
| 1SDA077305R1 | E2.2S-A 800 Ekip Hi-Touch LSI 3p F HR   | 1        | Air Circuit Breaker |
| 1SDA079852R1 | Kit VR Sup E2.2 F 3pcs UL INST          | 1        | Accessory           |
| 1SDA079854R1 | Kit VR Inf E2.2 F 3pcs UL INST          | 1        | Accessory           |
| 1SDA073668R1 | YO E1.2..E6.2-XT7-XT7M 24 VAC/DC        | 1        | Accessory           |
| 1SDA073668R1 | YO E1.2..E6.2-XT7-XT7M 24 VAC/DC        | 1        | Accessory           |
| 1SDA073681R1 | YC E1.2..E6.2-XT7M 24 VAC/DC            | 1        | Accessory           |
| 1SDA073724R1 | M E2.2...E6.2 100-130 VAC/DC            | 1        | Accessory           |
| 1SDA073861R1 | PBC Prot.Pushb. AP/CH D=8mm E2.2..E6.2  | 1        | Accessory           |
| 1SDA073870R1 | Sealable trip unit cover E2.2...E6.2    | 1        | Accessory           |
| 1SDA074170R1 | Ekip 4K E2.2..E6.2 Black                | 1        | Accessory           |
| 1SDA074173R1 | EKIP SUPPLY 24-48VDC E1.2..E6.2-Tmax XT | 1        | Accessory           |
| 1SDA074150R1 | EKIP COM MODBUS RS-485 E1.2..E6.2       | 1        | Accessory           |
| 1SDA074163R1 | EKIP LINK E1.2..E6.2                    | 1        | Accessory           |
| 1SDA074167R1 | EKIP 2K-1 E1.2..E6.2-Tmax XT            | 1        | Accessory           |
| 1SDA074166R1 | EKIP COM ACTUATOR E1.2..E6.2-XT7-XT7M   | 1        | Accessory           |
| 1SDA114808R1 | Bluetooth disabled ExCo                 | 1        | Accessory           |

