




---

 PRODUCT-DETAILS

# P9MSCZ3C95

## P9MSCZ3C95 Key Operated Selector Switch




---

### General Information

Extended Product Type	P9MSCZ3C95
Product ID	1SFA184467R9006
EAN	7320500521878
Catalog Description	P9MSCZ3C95 Key Operated Selector Switch
Long Description	<p>The P9MSCZ3C95 Key Operated Selector Switch is: Modular metal - Key Operated Selector Switch with holder - 3-position - Momentary - Key - Black/Key=metal - Non-illuminated - Satin Chrome Metal</p> <p>This Key Operated Selector Switch is part of ABB's modular metal range designed for mining, construction and heavy industry applications, combining the highest reliability with <u>the full flexibility of a modular range.</u></p>

---

### Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	8536501990

---

### Popular Downloads

Data Sheet, Technical Information	1SFC151007C02_
-----------------------------------	----------------

---

## Dimensions

---

Product Net Width	29.7 mm
Product Net Height	44.5 mm
Product Net Depth / Length	68.4 mm
Product Net Weight	0.125 kg

---

## Technical

---

Ambient Air Temperature	Operation -30 ... 70 °C Storage -40 ... +70 °C
Color	Black/Key=metal
Actuator Type	Key
Bezel Material	Satin Chrome Metal
Illumination	Non-illuminated
Function	Momentary
Sub-Function	3-position
Sub-Function 2	CAM Z
Maintained Positions	B
Spring Return From	A and C to B
Key Removal Positions	Position B Only
Key Code	Key code 95
Enclosure Type NEMA	Type1 Type12 Type13 Type3 Type3R Type3S Type4 Type4X

---

## Environmental

---

Degree of Protection	Front IP66
----------------------	------------

---

## Material Compliance

---

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006479
RoHS Information	2CMT2022-006498
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006523
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

## Certificates and Declarations

---

BV Certificate	2CMT2019-005867
CB Certificate	2CMT2019-005872
CSA Certificate	2CMT2019-005868
Declaration of Conformity - CE	2CMT2019-005862

---

Declaration of Conformity - UKCA	2CMT2020-006121
DNV GL Certificate	2CMT2019-005876
RINA Certificate	2CMT2019-005866
UL Certificate	2CMT2019-005868

### Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	41 mm
Package Level 1 Depth / Length	113 mm
Package Level 1 Height	41 mm
Package Level 1 Gross Weight	0.125 kg
Package Level 1 EAN	7320500521878

### Classifications

ETIM 7	EC000222 - Front element for selector switch
ETIM 8	EC000222 - Front element for selector switch
eClass	V11.0 : 27371213
UNSPSC	39122217
IDEA Granular Category Code (IGCC)	5215 >> Selector Switch Complete Assemblies
E-Number (Finland)	2307579
E-Number (Sweden)	3705859

### Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Metal Range P9M → P9M Selector Switches



