



 PRODUCT-DETAILS

EPB25-306 CI52

Sub Distribution, 580 mm x 400 mm x 132 mm, Grounded (Class I), IP54



Product image
not available

General Information

Extended Product Type	EPB25-306 CI52
Product ID	1SKP806152C0029
EAN	6221115055233
Catalog Description	Sub Distribution, 580 mm x 400 mm x 132 mm, Grounded (Class I), IP54
Long Description	3 -phase protecta busbar type 6 way, surface, 250A, IP54 standard RAL 7035, 2 mm thickness

Technical

Rated Current (I_n)	160 A
Number of Flange Openings	2
Cover Plate Type	Door
Mounting Type	Surface mounting
Door Type	Single
Surface Finishing	Powder coating
Housing Material	Steel
RAL Number	RAL 7035 - Light Grey

Color

Grey

Material Compliance

RoHS Information	1SKC910040C0001
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240129
REACH Declaration	1SKC910031C0001
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240129
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Degree of Protection	IP54
Protection Class	Grounded (Class I)

Dimensions

Product Net Width	400 mm
Product Net Height	580 mm
Product Net Depth / Length	132 mm
Thickness	Cabinet Plate 2 mm Door Plate 2 mm

Certificates and Declarations

Declaration of Conformity - CE	1SKC100819C0001
--------------------------------	-----------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

Classifications

ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
WEEE Category	Product Not in WEEE Scope
CN8	85389725
eClass	V11.0 : 27142408

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → Protecta



Product image
not available