GDMR40-312 IPM3N 1/3



PRODUCT-DETAILS

GDMR40-312 IPM3N

Sub Distribution, 1300 mm x 800 mm x 300 mm, Isolated (Class II), IP54



General Information	
Extended Product Type	GDMR40-312 IPM3N
Product ID	1SKS412248C3513
EAN	6221115053840
Catalog Description	Sub Distribution, 1300 mm x 800 mm x 300 mm, Isolated (Class II), IP54
Long Description	Mirage 400, MCCB panel board, IP54, 12 ways, incoming T5, 400A, outgoingT1-T3, mixed capacity (2T3+10T1)-Form 2b ADDC

Technical	
Rated Current (I _n)	400 A
Number of Flange Openings	1
Number of Conduit Inlets	0
Cover Plate Type	Cover
Mounting Type	Surface mounting
Door Type	Single
Surface Finishing	Powder coating

GDMR40-312 IPM3N 2/3

Housing Material	Steel
Cover Style	with Notch
RAL Number	RAL 7035 - Light Grey
Color	Grey

Material Compliance	
RoHS Information	1SKC910043C0001
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240129
REACH Declaration	1SKC910034C0001
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240129
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Degree of Protection	IP54
Protection Class	Isolated (Class II)

Dimensions	
Product Net Width	800 mm
Product Net Height	1300 mm
Product Net Depth / Length	300 mm
Built-In Depth (t ₂)	300 mm
Thickness	Cabinet Plate 2 mm Door Plate 1.5 mm

Certificates and Declarations	
Declaration of	1SKC100819C0001
Conformity - CE	

Installation	
Instructions and	No document needed
Manuals	

Popular Downloads	
Data Sheet, Technical	No document needed
Information	

Classifications	
ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet

GDMR40-312 IPM3N 3/3

WEEE Category	Product Not in WEEE Scope
CN8	85390042
eClass	V11.0 : 27142408

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow Sub\ Distribution\ Boards \rightarrow Sub\ Distribution\ Boards \rightarrow Mirage$

