



PRODUCT-DETAILS

THQB1120GFEP

Bolt-on eMCBs



General Information

Global Commercial Alias	THQB1120GFEP
Extended Product Type	THQB1120GFEP
Product ID	1TQB011020X3100
EAN	783164060164
Catalog Description	Bolt-on eMCBs

Long Description

Q line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications. The QB breakers are bolt-on versions of the Q Line used for connection to ReliaGear® Panelboards. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers are available in 1, 2, and 3 pole versions. can be ordered with auxiliary contact and shunt trip accessories.

Material Compliance

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	1 in
Product Net Height	2.92 in
Product Net Depth / Length	3.28 in
Product Net Weight	7.02 oz

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	7.78 oz

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

Classifications

ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121601
eClass	V11.0 : 27370409
IDEA Granular Category Code (IGCC)	4824 >> 1 Pole Standard Trip Bolt-On Circuit Breakers

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Lighting Panels & Breakers → Q-line Bolt on Breakers

