



PRODUCT-DETAILS

TPME240D06ASNF

Surge Protective Device



General Information	
Global Commercial Alias	TPME240D06ASNF
Extended Product Type	TPME240D06ASNF
Product ID	1TQD106240D5615
Catalog Description	Surge Protective Device
Long Description	SPD,TPME, Integrated,240v Delta 3P3W, 65kA per mode

Technical	
Rated Voltage (U_r)	240 V AC
Voltage Protection Level (U_p)	900 kV
Maximum Continuous Operating Voltage (U_c)	(L-PE) 270 V
Rated Service Short-Circuit Breaking Capacity (I_{cs})	200 kA
Discharge Current	Nominal (8 / 20 μ s) 10 kA I (max, 8 / 20 μ s) 130 kA
Number of Protected	3

Poles

Number of Conductors	3
Transmission Standard	Acoustic Optic
Mounting Type	Busbar

Material Compliance

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	9.50 in 241.15 mm
Product Net Height	8.32 in 211.36 mm
Product Net Depth / Length	5.06 in 128.62 mm
Product Net Weight	13 lb 5.9 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	18 lb 8.16 kg

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	9AKK107680A9451
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107680A9391
-----------------------------------	-----------------

Classifications

ETIM 8	EC000941 - Surge protection device for power supply systems
ETIM 9	EC000941 - Surge protection device for power supply systems
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121610

eClass

V11.0 : 27130805

IDEA Granular Category
Code (IGCC)

4906 >> Surge suppressers

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Surge Protective Device → Integral

