




---

 PRODUCT-DETAILS

# TMMR4412RF

MINIMOD,400AMLO,(4)  
125AMTR,N3R,RNGLS,MEG




---

**General Information**

Global Commercial Alias	TMMR4412RF
Extended Product Type	TMMR4412RF
Product ID	1TQE110160Z0000
EAN	78316448673
Catalog Description	MINIMOD,400AMLO,(4)125AMTR,N3R,RNGLS,MEG
Long Description	TMMR4412RF MINIMOD,400AMLO,(4)125AMTR,N3R,RNGLS,MEG

---

**Technical**

Rated Current (I <sub>n</sub> )	400 A
Number of Meter Cabinets	2
Number of TSG Panels	0
Lower Connection Space	with Bus Bar
Material	Steel plate

## Material Compliance

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Product Net Width	615.95 mm
Product Net Height	1227.074 mm
Product Net Depth / Length	177.8 mm
Product Net Weight	30 lb
Built-In Depth (t <sub>2</sub> )	177.8 mm

## Ordering

Package Level 1 Units	pack 1 piece
Package Level 1 Gross Weight	89.000 lb

## Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

## Installation

Instructions and Manuals	9AKK107991A1120
--------------------------	-----------------

## Popular Downloads

Data Sheet, Technical Information	9AKK107680A9942
-----------------------------------	-----------------

## Classifications

ETIM 8	EC000262 - Meter cabinet equipped
ETIM 9	EC000262 - Meter cabinet equipped
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121102
eClass	V11.0 : 27142418
IDEA Granular Category Code (IGCC)	4314 >> Meter centers or sockets

---

## Categories

---

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Residential Enclosures → Modular Metering

