TLM2412CCU 1/3



PRODUCT-DETAILS

## TLM2412CCU

## FLD CNVRTB 125A 24CRK 22K IC COMB



General Information	
Global Commercial Alias	TLM2412CCU
Extended Product Type	TLM2412CCU
Product ID	1TQP324206A0000
EAN	78316411232
Catalog Description	FLD CNVRTB 125A 24CRK 22K IC COMB
Long Description	Panelboards No. 67 60 degree/75 degree centrigrade Conductor Rating Suitable for use as service entrance equipment when Installed in accordance with the National Electrical Code 22kAlC RMS symmetrical, Except Where Noted 6-42 circuit devices UL Listed for bottom mounted lugs by installing complete unit (box, interior and front) upside down For a listing of CSA Listed load centers, visit www.geelectrical.com  Amperage 125 A 2CCU2320

Technical	
Number of DIN Rails for Mounting	0
Number of Modular Spacings per DIN Rail	0
Cover Plate Type	With notch

TLM2412CCU 2/3

Material Compliance	
RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain produc
Conflict Minerals	9AKK108468A3363
Reporting Template (CMRT)	
(CMRT)	
Dimensions	
Product Net Width	356 mn 14 ii
Product Net Height	627 mn 24.7 iı
Product Net Depth / Length	95 mm 3.8 ir
Product Net Weight	24.000 lk
Ordering	
Package Level 1 Units	case 1 piece
Package Level 1 Gross Weight	24.5 lk
Certificates and Declarations  Declaration of Conformity - CE	No declaration needed
 Installation	
Instructions and Manuals	9AKK107991A112
Popular Downloads	
Data Sheet, Technical	9AKK107680A994
Information	
Classifications	
ETIM 8	EC000214 - Small distribution board
ETIM 9	EC000214 - Small distribution board
WEEE Category	Product Not in WEEE Scope
UNSPSC	3912110
eClass	V11.0 : 27142409
IDEA Granular Category Code (IGCC)	4308 >> Single Phase Convertible Load Centers

TLM2412CCU 3/3

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow Residential\ Enclosures \rightarrow Load\ Centers$ 









360