TM2010CCU 1/3



PRODUCT-DETAILS

TM2010CCU

100A 20CT 1P3W 120/240V 22K IC COMB



General Information	
Global Commercial Alias	TM2010CCU
Extended Product Type	TM2010CCU
Product ID	1TQP520205A0000
EAN	78316411244
Catalog Description	100A 20CT 1P3W 120/240V 22K IC COMB
Long Description	Panelboards No. 67 60 degree/75 degree centrigrade Conductor Rating Suitable for use as service entrance equipment when Installed in accordance with the National Electrical Code 22kAIC RMS symmetrical, Except Where Noted 6-42 circuit devices UL Listed for bottom mounted lugs by installing complete unit (box, interior and front) upside down For a listing of CSA Listed load centers, visit www.geelectrical.com Amperage 100 A OCCU2443

Technical	
Number of DIN Rails for Mounting	0
Number of Modular Spacings per DIN Rail	0
Cover Plate Type	With notch

TM2010CCU 2/3

No declaration needed
o data - If REACH inform is not yet available for a certain produc
9AKK108468A3363
356 mn 14 ir
584 mn 23 ir
95 mm 3.8 ir
23.500 lk
case 1 piece
23.5 lk
No declaration needed
9AKK107991A1122
9AKK107680A994:
EC000214 - Small distribution board
EC000214 - Small distribution board
Product Not in WEEE Scope
3912110:
V11.0 : 27142409
4309 >> Single Phase Main Breaker Load Centers

Code (IGCC)

TM2010CCU 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow Residential\ Enclosures \rightarrow Load\ Centers$









360