



PRODUCT-DETAILS

MLA41

Main Lug Kit



General Information	
Global Commercial Alias	MLA41
Extended Product Type	MLA41
Product ID	1TQR162004Z0000
EAN	not available
Catalog Description	Main Lug Kit
Long Description	ReliaGear lighting panelboards are factory assembled on rigid steel frames and equipped with circuit breakers from 15 A to 800 A. The maximum fully-rated short circuit rating is equal to 65 kAIC to 240 V AC and 480/277 V AC.

ABB EcoSolutions	
ABB EcoSolutions	Yes
Circular Design	92.6 %
Principles Recyclability Rate	
Offered with Extended Lifetime	Product Modularity
End of Life Instructions	1SQC173021M0202
Environmental Product	1SQC173004D0201

Declaration - EPD

Technical

Rated Voltage (U_r)	480 V AC
Rated Current (I_n)	400 V AC
Model Number	MLA41
Number of Poles	3
Cable Cross-Section	600 kcmil
Connecting Capacity	600 kcmil
Main Circuit	
Terminal Type	Lug terminals

Dimensions

Product Net Width	4.000 in
Product Net Height	4.000 in
Product Net Depth / Length	6.000 in
Product Net Weight	1.600 lb

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	variable lb

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Installation Manual	1TQC213000Z0018
Instructions and Manuals	No document needed

Classifications

ETIM 8	EC002021 - Terminal block connector
ETIM 9	EC002021 - Terminal block connector
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121724
eClass	V11.1 : 27141151
IDEA Granular Category Code (IGCC)	4666 >> Wire terminal connector kit

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Lighting Panels & Breakers → PROSTOCK Lighting Panels

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Lighting Panels & Breakers → ReliaGear Lighting Panels

