



PRODUCT-DETAILS

AB82BW

Enclosure



General Information	
Global Commercial Alias	AB82BW
Extended Product Type	AB82BW
Product ID	1TQR282103N0000
EAN	783175712267
Catalog Description	Enclosure
Long Description	ReliaGear lighting panelboards are factory assembled on rigid steel frames and equipped with circuit breakers from 15 A to 800 A. The maximum fully-rated short circuit rating is equal to 65 kAIC to 240 V AC and 480/277 V AC.

ABB EcoSolutions	
ABB EcoSolutions	Yes
Circular Design Principles Recyclability Rate	92.6 %
Offered with Extended Lifetime	Product Modularity
End of Life Instructions	1SQC173021M0202
Environmental Product	1SQC173004D0201

Declaration - EPD

Dimensions

Product Net Width	30.000 in
Product Net Height	82.500 in
Product Net Depth / Length	5.750 in
Product Net Weight	106.000 lb

Ordering

Package Level 1 Units	box variable piece
Package Level 1 Gross Weight	variable lb

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	9AKK107680A9334
Building Information Modeling – BIM	15QC173010D0201

Classifications

WEEE Category	Product Not in WEEE Scope
UNSPSC	39121321
IDEA Granular Category Code (IGCC)	4465 >> Enclosure General Accessories

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Lighting Panels & Breakers → ReliaGear Lighting Panels

