

PRODUCT-DETAILS





General Information	
Global Commercial Alias	AF55FT
Extended Product Type	AF55FT
Product ID	1TQR355205N0000
Catalog Description	Front
Long Description	ReliaGear lighting panelboards are factory assembled on rigid steel frames and equipped with circuit breakers from 15 A to 800 A. The maximum fully-rated short circuit rating is equal to 65 kAIC to 240 V AC and 480/277 V AC.

ABB EcoSolutions	
ABB EcoSolutions	Yes
Circular Design Principles Recyclability Rate	92.6 %
Offered with Extended Lifetime	Product Modularity
End of Life Instructions	1SQC173021M0202
Environmental Product Declaration - EPD	1SQC173004D0201

© 2024 ABB. All rights reserved.

2024/10/15

Subject to change without notice

Dimensions	
Product Net Width	21.250 ir
Product Net Height	55.500 ir
Product Net Depth / Length	0.100 ir
Product Net Weight	35.000 lt
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	46.050 lk
Certificates and Declarations	
Declaration of Conformity - CE	No declaration needed
Installation	
Instructions and Manuals	No document needed
Popular Downloads	
Data Sheet, Technical Information	No document needed
Classifications	
WEEE Category	Product Not in WEEE Scope
UNSPSC	3912132
IDEA Granular Category Code (IGCC)	4465 >> Enclosure General Accessories

Categories

Low Voltage Products and Systems \rightarrow NEMA Residential and Commercial Portfolio \rightarrow Lighting Panels & Breakers \rightarrow ReliaGear Lighting Panels

© 2024 ABB. All rights reserved.

2024/10/15



© 2024 ABB. All rights reserved.

2024/10/15