




---

 PRODUCT-DETAILS

# 9T10A1008G31

## Low Voltage Dry Type Transformer-LPT




---

**General Information**

Global Commercial Alias	9T10A1008G31
Extended Product Type	9T10A1008G31
Product ID	1TQX260521A0100
EAN	783173904756
Catalog Description	Low Voltage Dry Type Transformer-LPT
Long Description	Our Type QL transformers meet DOE-2016 efficiency standards. They are available in aluminum and copper and in all three temperature rise ratings. QL Transformers utilize a UL recognized 220°C insulation system and are UL Listed.

---

**Technical**

Number of Phases	3
Transformer Type	General Purpose
Housing Material	Painted Steel
Material of Conductor	Aluminum

---

**Material Compliance**

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Product Net Width	41.4 in 1051.6 mm
Product Net Height	57.1 in 1450.4 mm
Product Net Depth / Length	33 in 838.2 mm
Product Net Weight	1985 lb 900.4 kg
Dimension Diagram	303B112GEDXP78A

## Ordering

Package Level 1 Gross Weight	2056 lb 932.6 kg
------------------------------	---------------------

## Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

## Installation

Instructions and Manuals	9AKK107991A2143
--------------------------	-----------------

## Popular Downloads

Data Sheet, Technical Information	9AKK107680A9377
-----------------------------------	-----------------

## Classifications

ETIM 8	EC002485 - Three-phase control transformer
ETIM 9	EC002485 - Three-phase control transformer
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121029
eClass	V11.0 : 27031301
IDEA Granular Category Code (IGCC)	4179 >> Three Phase Low Sound & Noise Isolation Dry Type Transformers 600V Or Less

---

## Categories

---

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → LV Dry Type Transformers → Large Power Transformers

