9T10A1088G31 1/3



PRODUCT-DETAILS

## 9T10A1088G31 Low Voltage Dry Type Transformer-LPT



General Information	
Global Commercial Alias	9T10A1088G31
Extended Product Type	9T10A1088G31
Product ID	1TQX260521A0108
Catalog Description	Low Voltage Dry Type Transformer-LPT
Long Description	ABB Low Voltage Dry Type transformers are built to last and are designed with exclusive features. With easy installation and all of the specifications you trust, it's easy to see why ABB QL dry type transformers are preferred by contractors. Our Type QL transformers meet DOE 2016 efficiency standards. They are available with aluminum or copper windings and in all three temperature rise ratings.

Technical	
Transformer Type	General Purpose
Housing Material	ANSI 61 Painted Steel
Temperature Rise	115 °C

## **Material Compliance**

RoHS Status
REACH Information
© 2024 ABB. All rights reserved.

9T10A1088G31 2/3

9AKK108468A3363 **Conflict Minerals** Reporting Template (CMRT) Ordering Package Level 1 Units case 1 EA **Certificates and Declarations Declaration of Conformity** No declaration needed Installation Instructions and Manuals 9AKK107991A2143 Popular Downloads Data Sheet, Technical No document needed Information Classifications ETIM 8 EC004582 - Low voltage dry type transformer ETIM 9 EC004582 - Low voltage dry type transformer WEEE Category Product Not in WEEE Scope **UNSPSC** 39121001 IDEA Granular Category 4124 >> Distribution power transformers Code (IGCC)

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow LV\ Dry\ Type\ Transformers \rightarrow Large\ Power\ Transformers$ 

9T10A1088G31 3/3







