



 PRODUCT-DETAILS

CS200

CS200 Indoor siren 24V red



General Information

Extended Product Type	CS200
Product ID	2CDG420018R0011
EAN	4053546047943
Catalog Description	CS200 Indoor siren 24V red
Long Description	The CS200 indoor siren is approved for fire alarm control panels in accordance with EN54 and VdS. It has a high sound level and low current consumption. It is possible to choose between 32 modes. A diode is integrated into the siren for the cable monitoring function in ABB fire alarm control panels.

Technical

Auxiliary Voltage AC/DC	24 V DC
Power Loss	1.232 W
Number of Inputs	Analog (0 ... 10 V / 4 ... 20 mA) 1
Mounting Type	Surface Mounted
Manual Operation	No
Number of Batteries	0

Material Compliance

RoHS Information	9AKK107991A2041
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20160801
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20231212
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Degree of Protection	IP20
----------------------	------

Dimensions

Product Net Width	63 mm
Product Net Height	63 mm
Product Net Depth / Length	63 mm
Product Net Weight	0.2 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.24 kg

Certificates and Declarations

Declaration of Conformity - CE	9AKK107991A2041
--------------------------------	-----------------

Installation

Instructions and Manuals	2CDG941231P0001
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107680A9374
-----------------------------------	-----------------

Classifications

ETIM 8	EC000195 - Optical/acoustic signal device
ETIM 9	EC000195 - Optical/acoustic signal device
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

CN8	8531 10 30
eClass	V11.0 : 27143234
Object Classification Code	A

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Fire Alarm Systems → Signalling Devices → Conventional

