



---

**PRODUCT-DETAILS**

# 4332.0146.1

## KSFS 10126 Phase busbar

For sale but "Obsolete", replaced by



---

**General Information**

Global Commercial Alias	4332.0146.1
Extended Product Type	KSFS 10126
Product ID	2CGX043320146
EAN	7331980005253
Catalog Description	KSFS 10126 Phase busbar
Long Description	Busbars with protection against accidental contact, IP 2X

---

**Material Compliance**

REACH Declaration	2CGC0049
RoHS Information	2CGC0038

---

**Popular Downloads**

Data Sheet, Technical Information	2CGC0036
-----------------------------------	----------

## Environmental

Degree of Protection	acc. to IEC 60529 IP2X
----------------------	------------------------

## Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369010
Last Ordering Date	2020-11-30 All Countries
Replacement Product ID (NEW)	2CGD000788P1600
Country of Origin	Sweden (SE)

## Dimensions

Product Net Width	1600 mm
Product Net Height	45 mm
Product Net Depth / Length	35 mm
Product Net Weight	2.56 kg

## Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	45 mm
Package Level 1 Depth / Length	1600 mm
Package Level 1 Height	35 mm
Package Level 1 Gross Weight	2.56 kg
Package Level 1 EAN	7331980005253

## Technical

Conventional Thermal Current ( $I_{the}$ )	1000 A
Rated Insulation Voltage ( $U_i$ )	1000 V
Rated Operational Voltage	690 V
Rated Peak Withstand Current Low Voltage ( $I_{pk}$ )	50 kA
Rated Short-time Withstand Current Low Voltage ( $I_{cw}$ )	for 1 s 40 kiloampere rms
Degree of Protection	acc. to IEC 60529 IP2X

## Certificates and Declarations

Declaration of Conformity - CE	2CGC0020
--------------------------------	----------

---

**Classifications**

---

ETIM 8	EC001522 - Busbar
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
E-Number (Finland)	5451122
E-Number (Sweden)	0732983

---

---

**Categories**

---

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Kabeldon IP-System

