6330.0631.0



PRODUCT-DETAILS

## 6330.0631.0

# CDC 460 INO Cable distribution cabinet



General Information	
Global Commercial Alias	6330.0631.0
Extended Product Type	CDC 460 INO
Product ID	2CGX063300631
EAN	7331980045792
Catalog Description	CDC 460 INO Cable distribution cabinet
Long Description	Double insulated Cable Distribution Cabinet with 400 A Al-busbar system. 4-wire system. Foundation is included in the cabinet. Caution label NO, "SPENNING LIVSFARE". Packaged with cardboard box around foundation.

2CGC0037

#### **Material Compliance**

Conflict Minerals Reporting Template 9AKK108467A5658

6330.0631.0 2/4

$^{\prime}$	М	D	T١

REACH Declaration	2CGC0049
RoHS Information	2CGC0043

## Popular Downloads

Data Sheet, Technical Information	2CGC0036
Instructions and Manuals	439041800B

#### **Environmental**

Degree of Protection	acc. to IEC 60529 IP34D
Environmental	2CGC0037
Information	

#### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85381000
Country of Origin	Sweden (SE)

#### Dimensions

Product Net Width	850 mm
Product Net Height	1200 mm
Product Net Depth / Length	220 mm
Product Net Weight	59 kg

#### **Container Information**

Package Level 1 Units	euro pallet 1 piece
Package Level 1 Width	855 mm
Package Level 1 Depth / Length	1200 mm
Package Level 1 Height	220 mm
Package Level 1 Gross Weight	59 kg
Package Level 1 EAN	7331980045792
Package Level 2 Units	5 euro pallet
Package Level 2 Width	855 mm
Package Level 2 Depth / Length	1200 mm
Package Level 2 Height	1110 mm
Package Level 2 Gross Weight	295 kg

#### Technical

Conventional Thermal	400 A
Current (Ithe)	

6330.0631.0 3/4

Rated Insulation Voltage $(U_i)$	1000 V
Rated Operational Voltage	400 V
Rated Peak Withstand Current Low Voltage ( $I_{pk}$ )	55 kA
Rated Short-time Withstand Current Low Voltage (I <sub>CW</sub> )	for 1 s 21 kiloampere rms
Standards	IEC 60439-1,-5
Color	Natural colour
Mounting Type	Ground mounted
Degree of Protection	acc. to IEC 60529 IP34D
Lock Type	Triangle (CDC-LT)
Rated Current (In)	400 A

#### **Certificates and Declarations**

Declaration of	2CGC0022
Conformity - CE	

Classifications	
ETIM 8	EC003517 - Cable distribution cabinet
ETIM 9	EC003517 - Cable distribution cabinet
eClass	V11.1 : 27142430
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
E-Number (Norway)	1144823

### Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Cable\ Distribution\ Cabinets \rightarrow Kabeldon\ Cable\ Distribution\ Cabinets\ with\ Components$ 

6330.0631.0 4/4



