



 PRODUCT-DETAILS

6619B-A06387 Z

Socket outlets green - Reflex SI



General Information

Extended Product Type	6619B-A06387 Z
Product ID	2CHB196387A4506
EAN	8592624456025
Catalog Description	Socket outlets green - Reflex SI
Long Description	Screwless terminals. Fixation via screws only. IP 40 16 A, 250 V AC

Installation

Instructions and Manuals	No document needed
Mounting Type	Flush mounted (plaster)
Type of Fastening	Mounting with Screw

Environmental

Degree of Protection	IP20
----------------------	------

Technical

Data Sheet, Technical Information	No document needed
Number of Phases	1
Number of Active Pin Terminals	0
Number of Gangs	1
Connection Type	Plug Clamp
Socket Outlet Type	Power Socket Outlets - French acc. to NF C 61-314
Number of Batteries	0

Electrical

Short-Circuit Current Rating (SCCR)	0 A
Rated Voltage (U _r)	250 V
Rated Current (I _n)	16 A
Rated Frequency (f)	50 ... 50 Hz

Design

Design Range	Reflex SI Busch-Duro 2000 SI
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Label Space Provided	No
Color	green

Dimensions

Product Net Weight	65.4 g
Built-In Depth (t ₂)	40 mm

Ordering

Replaced Product ID (OLD)	2CHB196387A4506
---------------------------	-----------------

Material Compliance

RoHS Information	2CHC663076X0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CHC663076X0201
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20221103
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	f29d8b0a-9278-44f8-a438-a832a41ff4fc Czech Republic (CZ)

Certificates and Declarations

Declaration of Conformity - CE	2CHC663107X9901
--------------------------------	-----------------

Classifications

ETIM 9

EC000125 - Socket outlet

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B

Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Socket Outlets

