





---

 PRODUCT-DETAILS

## 3559H-A01446 65W

### Flush Mounted Inserts Rocker lever with LED exchangeable 1 rocker 250 V (Off switch 1-pole)




---

**General Information**

|                       |   |
|-----------------------|---|
| Extended Product Type | 3559H-A01446 65W  |
| Product ID            | 2CHH590146A6065   |
| EAN                   | 8592624111092   |
| Catalog Description   | Flush Mounted Inserts Rocker lever with LED exchangeable 1 rocker 250 V (Off switch 1-pole) |
| Long Description      | Switch 1 gang 1 way with LED lamp (orientation light)                                       |

---

**Installation**

|                          |   |
|--------------------------|---|
| Instructions and Manuals | No document needed                        |
| Mounting Type            | Flush Mounted                             |
| Type of Fastening        | Mounting with Claw<br>Mounting with Screw |

---

**Environmental**

|                      |      |
|----------------------|------|
| Degree of Protection | IP20 |
|----------------------|------|

## Technical

|  |  |
|--|--|
| Data Sheet, Technical Information                          | 9AKK107991A4554                        |
| Function   | Function lighting: Orientation         |
| Number of Gangs  | 1                                      |
| Number of Rocker Switches                                  | 1                                      |
| Wiring Configuration                                       | Off switch 1-pole                      |
| Action Type of the Contact Element (acc. to IEC 60947-5-1) | Basic element with central cover plate |
| Actuator Type  | Rocker lever                           |
| Connection Type  | Plug Clamp                             |
| Lamp Type  | LED exchangeable                       |
| Illumination   | Illuminated                            |
| Battery Weight   | 0 g                                    |

## Electrical

|                           |                      |
|---------------------------|----------------------|
| Rated Voltage ( $U_r$ )   | 250 V                |
| Rated Current ( $I_n$ )   | 10 A                 |
| Maximum Switching Current | Fluorescent Lamps 10 |

## Design

|                      |                          |
|----------------------|--------------------------|
| Design Range         | Levit                    |
| Surface Finishing    | Untreated<br>Glossy      |
| Material             | Thermoplastic<br>Plastic |
| Label Space Provided | No                       |
| Color                | red                      |

## Dimensions

|                          |         |
|--------------------------|---------|
| Product Net Weight       | 66.06 g |
| Built-In Depth ( $t_2$ ) | 17 mm   |

## Ordering

|                           |                 |
|---------------------------|-----------------|
| Replaced Product ID (OLD) | 2CHH590146A6065 |
|---------------------------|-----------------|

## Material Compliance

|   |  |
|---|--|
| RoHS Information                            | 2CHC663079X0201  |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| REACH Declaration                           | 2CHC663079X0201  |
| REACH Information                           | False - does not contain substances > 0.1 mass percentage              |
| REACH Date                                  | 20220411   |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363  |

---

### Certificates and Declarations

---

Declaration of Conformity  
- CE

2CHC663019X9901

---

---

### Classifications

---

ETIM 9

EC001590 - Installation switch

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B

Business To Business

---

---

### Categories

---

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Electronic Inserts

