




---

 PRODUCT-DETAILS

## 5534N-C02100 B

### 5534N-C02100 B Trunking white IP20




---

**General Information**

Extended Product Type	5534N-C02100 B
Product ID	2CHN342100C4500
EAN	8595017245053
Catalog Description	5534N-C02100 B Trunking white IP20
Long Description	Plug with pin

---

**Technical**

Rated Voltage ( $U_r$ )	250 V
Rated Current ( $I_n$ )	16 A
Model Number	Earthing pin
Number of Poles	2
Plug Angle	Straight
Connection Type	Screw
Material	Material quality: Thermoplastic Material: Plastic
Color	white
Battery Weight	0 g

Number of Batteries	0
---------------------	---

## Material Compliance

RoHS Information	2CHC663076X0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20210624
REACH Declaration	2CHC663076X0201
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20221103
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Environmental

Degree of Protection	IP20
----------------------	------

## Dimensions

Product Net Weight	41.52 g
--------------------	---------

## Ordering

Package Level 1 Units	box 28 piece
Package Level 1 Gross Weight	0.045 kg

## Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

## Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

## Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

## Classifications

ETIM 8	EC000242 - Plug with protective contact
ETIM 9	EC000242 - Plug with protective contact
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 69 90

---

## Categories

---

Low Voltage Products and Systems → Installation Materials → Installation Systems (WA Carriers) → Trunking → Installation Trunking

