




## PRODUCT-DETAILS

**KS01.TYE.0120**

FTS Keypad KNX &lt;E&gt; asm. wh.

**General Information**

Extended Product Type	KS01.TYE.0120
Product ID	2CHQ210120E4601
EAN	8592624458043
Catalog Description	FTS Keypad KNX <E> asm. wh.
Long Description	KNX keypad 1- up to 4-fold devices: - KK/U4.60.xx Bus connection via enclosed terminal block. <Assembly E> white

**Installation**

Instructions and Manuals	9AKK108469A4259, 9AKK108469A8005
Mounting Type	Flush Mounted

**Environmental**

Ambient Air Temperature	Operation -5 ... +40 °C
Degree of Protection	IP20

---

## Technical

Data Sheet, Technical Information	9AKK108469A3567, 9AKK108469A4773, 9AKK107046A5137, 9AKK107046A5138
Compatible Bus Systems	free@home (TP) KNX (TP)
Product Range	KNX free@home SIDUS® Touch
Number of Batteries	0

---

## Electrical

Rated Voltage (U <sub>r</sub> )	20 ... 32 V
Auxiliary Voltage AC/DC	24 V DC

---

## Design

Design Range	SIDUS® Touch
Color	white

---

## Dimensions

Product Net Weight	83 g
Built-In Depth (t <sub>2</sub> )	32 mm

---

## Ordering

Replaced Product ID (OLD)	2CHQ210120E4601
E-Number (Switzerland)	305176002

---

## Material Compliance

RoHS Information	2CKA200000E8340
RoHS Status	Following EU Directive 2011/65/EU
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---

## Certificates and Declarations

Declaration of Conformity - CE	2CKA100000E4842
--------------------------------	-----------------

---

## Classifications

ETIM 9	EC000672 - Touch sensor for bus system
eClass	V11.0 : 27143138
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

---

## Categories

---

Low Voltage Products and Systems → Building and Home Automation Solutions → free@home → User Operation → Sidus Touch → 1/4 fold

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → User Operation → Control Elements → 1-4-fold

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → User Operation → Sidus Touch → 1/4 fold

