




 PRODUCT-DETAILS

TB/U2.4.1-CG

TB/U2.4.1-CG Control element 2g.



General Information

Extended Product Type	TB/U2.4.1-CG
Product ID	2CKA006300A1539
EAN	4011395230732
Catalog Description	TB/U2.4.1-CG Control element 2g.
Long Description	Ordering possible only in connection with the design ID. The icons and/or texts are configured by means of a web configuration tool. Freely configurable multifunction control element. With integrated KNX bus coupler. With integrated temperature sensor. Push switch function: switching / dimming / blind / sending values / scenes etc. With integrated proximity function. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1

Installation

Instructions and Manuals	No document needed
Mounting Type	Flush Mounted

Environmental

Ambient Air Temperature	Operation -5 ... +45 °C
Degree of Protection	IP20

Technical

Data Sheet, Technical Information	No document needed
Number of Buttons	2
Number of Actuation Points	2
Compatible Bus Systems	KNX (TP)
Product Range	KNX ABB tacteo®

Design

Design Range	ABB tacteo®
Surface Finishing	Untreated Glossy
Material	Glass

Dimensions

Product Net Width	86 mm
Product Net Height	86 mm
Product Net Depth / Length	34 mm
Product Net Weight	104.5 g
Built-In Depth (t ₂)	35 mm

Ordering

E-Number (Finland)	2814634
E-Number (Sweden)	1739513

Material Compliance

RoHS Information	2CKA200000E5451
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240705
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Certificates and Declarations

Cyber Security Software Support Period	2 year
--	--------

Declaration of Conformity - CE	2CKA100000E2524
Declaration of Conformity - UKCA	2CKA400000E0223

Classifications

ETIM 9	EC000672 - Touch sensor for bus system
eClass	V11.0 : 27143138
UNSPSC	39121801
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → User Operation → ABB tacteo® → 2 fold
Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → User Operation → Control Elements → 2-fold

