



 PRODUCT-DETAILS

6733-83

WaveLine Wall sensor 4gang 4 channel Wireless aluminium silver - Platform 63



General Information

| | |
|-----------------------|--|
| Extended Product Type | 6733-83 |
| Product ID | 2CKA006730A0053 |
| EAN | 4011395149959 |
| Catalog Description | WaveLine Wall sensor 4gang 4 channel Wireless aluminium silver - Platform 63 |
| Long Description | 4gang wall-mounted transmitter independent of mains power supply. With labelling field and labelling strip. For switching and dimming. For controlling blinds and light scenes. 4 radio channels can be operated or up to 8 light scenes can be called up. For flush-mounted WaveLINE actuators 6701-101, 6702, 6703, 6704 and 6705-101. Send frequency: 868 MHz. Free-field range: approx. 100 m. Power supply: lithium button cell battery Type CR2032. Battery service life: typically 5 years, therefore practically maintenance-free. Automatic monitoring of battery life. Including fixing plate for mounting on smooth walls or on switch boxes. |

Installation

| | |
|--------------------------|-----------------|
| Instructions and Manuals | 2CKA000073B7534 |
| Mounting Type | Surface Mounted |
| Mounting Position | Wall |

Environmental

| | |
|-------------------------|-------------------------|
| Ambient Air Temperature | Operation -5 ... +45 °C |
| Degree of Protection | IP20 |

Technical

| | |
|-----------------------------------|--------------------|
| Data Sheet, Technical Information | No document needed |
| Number of Channels | 4 |
| Number of Gangs | 4 |
| Compatible Bus Systems | WaveLINE |
| Product Range | WaveLINE |
| Transmission Standard | Wireless |
| Battery Chemical Composition | Lithium |
| Battery Size | CR2032 |
| Battery Type | Button Cell |
| Battery Weight | 3 g |
| Number of Batteries | 1 |

Electrical

| | |
|---------------------------------|-----------|
| Rated Voltage (U _r) | 3 V |
| Auxiliary Voltage AC/DC | 3 V AC/DC |

Design

| | |
|----------------------|--|
| Design Range | Platform 63 future linear Busch-axcent |
| Design Range Variant | Busch-axcent Busch-axcent pur |
| Surface Finishing | Lacquered Matt |
| Material | Thermoplastic |
| Label Space Provided | Yes |
| RAL Number | Similar to RAL 9006 |
| Color | aluminium silver |

Dimensions

| | |
|----------------------------|---------|
| Product Net Width | 63 mm |
| Product Net Height | 63 mm |
| Product Net Depth / Length | 15.6 mm |
| Product Net Weight | 36 g |

Material Compliance

| | |
|------------------|--|
| RoHS Information | 2CKA200000E6238 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

| | |
|---|---|
| REACH Declaration | 2CKA309999E9999 |
| REACH Information | False - does not contain substances > 0.1 mass percentage |
| REACH Date | 20230825 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Certificates and Declarations

| | |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2CKA100000E0674 |
|--------------------------------|-----------------|

Classifications

| | |
|----------------|--|
| ETIM 9 | EC000257 - Transmitter/Remote control for domestic switching devices |
| eClass | V11.0 : 27144039 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |

Accessories

| Identifier | Description | Type | Quantity | Unit Of Measure |
|-----------------|---|------|----------|-----------------|
| 2CKA006700A0027 | WaveLine Switch Actuator Wireless with ON/OFF switching, timer and light scene control WaveLINE 230 V | 6702 | 1 | piece |
| 2CKA006700A0028 | WaveLine Switch Actuator Wireless with ON/OFF / venetian blind switching and lightscene control WaveLINE 230 V | 6703 | 1 | piece |
| 2CKA006700A0029 | WaveLine Universal dimming actuator Wireless with ON/OFF switching, dimming and lightscene control WaveLINE 230 V | 6704 | 1 | piece |

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Electronic Controls

