




 PRODUCT-DETAILS

N2102 BB

Switch 2-way Two-way switch with LED exchangeable White - Zenit



General Information

Extended Product Type	N2102 BB
Product ID	2CLA210200N1201
EAN	8427238229409
Catalog Description	Switch 2-way Two-way switch with LED exchangeable White - Zenit
Long Description	Color: Total White. Rated voltage: 110 - 250 Vac. Rated current: 16 AX. Rated power iLED (230/127 Vac): 200/100 W. Screwless terminals. Optional: locator LED lamp N2192. Size: 1 module.

Installation

Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush-mounted
Type of Fastening	Engage (Snap)

Environmental

Degree of Protection	IP20
----------------------	------

Technical

Data Sheet, Technical Information	9AKK10103A5108
Function	Orientation
Number of Rocker Switches	1
Wiring Configuration	Two-way switch
Actuator Type	Rocker/button
Connection Type	Push-In
Lamp Type	LED exchangeable
Illumination	Optional
Number of Batteries	0

Electrical

Rated Voltage (U_r)	250 V
Rated Current (I_n)	16 A
Maximum Switching Current	16 A

Design

Design Range	Zenit
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Label Space Provided	No
Color	White
Control Element Color	White

Dimensions

Product Net Width	22 mm
Product Net Height	44 mm
Product Net Depth / Length	73 mm
Product Net Weight	0.021 kg

Material Compliance

RoHS Information	2CLC210200N1201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20230816
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Certificates and Declarations

Declaration of Conformity - CE	9AKK106930A5900
--------------------------------	-----------------

Classifications

ETIM 9	EC001590 - Installation switch
UNSPSC	39122226
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Mechanical Controls

