



 PRODUCT-DETAILS

AM11920-SB

Switch intermediate 1 gang(s), Off switch 1-pole Silk Black - Millenium



Product image
not available

General Information

Extended Product Type	AM11920-SB
Product ID	2CLA611009N1557
EAN	8427238103174
Catalog Description	Switch intermediate 1 gang(s), Off switch 1-pole Silk Black - Millenium
Long Description	Rated voltage: 250Vac Rated current: 10AX

Installation

Instructions and Manuals	9AKK106930A7740
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Screw

Environmental

Ambient Air Temperature	Storage -5 ... +35 °C Storage Operation;-5 ... +50 °C
-------------------------	--

Degree of Protection	IP20
Environmental Information	9AKK108466A4748

Technical

Data Sheet, Technical Information	9AKK106930A7740
Function	1g Intermediate SP switch 10AX
Number of Gangs	1
Number of Rocker Switches	1
Wiring Configuration	Off switch 1-pole
Actuator Type	Rocker/button
Connection Type	Screw
Illumination	Non-illuminated
Number of Batteries	0

Electrical

Rated Voltage (U_r)	250 V
Rated Current (I_n)	10 A
Maximum Switching Current	Fluorescent Lamps 10

Design

Design Range	Millenium
Surface Finishing	Decor, Matt
Material	Metal
Label Space Provided	Yes
Color	Silk Black

Dimensions

Product Net Width	0.102 m
Product Net Height	0.062 m
Product Net Depth / Length	0.102 m
Product Net Weight	0.181 kg
Built-In Depth (t_2)	25 mm 35 mm

Ordering

Replaced Product ID (OLD)	2CLON611005CN
---------------------------	---------------

Material Compliance

REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals	9AKK108468A3363

Reporting Template
(CMRT)

Certificates and Declarations

Declaration of Conformity - CE No declaration needed

Classifications

ETIM 9	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Mechanical Controls



Product image
not available