AM40644 KA 1/4



PRODUCT-DETAILS

AM40644 KA

Card switch with RFID Kamale - Millenium



General Information

AM40644 KA 2/4

Extended Product Type AM40644 KA 2CLA621469N6901 Product ID EAN 8427238248660 Catalog Description Card switch with RFID Kamale - Millenium Rated voltage: 110 ... 230 V AC, ±10 %, Rated current R loads: 5.2 A (output 1 + output 2) Rated current motors: 2A Frequency: 50 / 60Hz RFID card-only option Yes ${\tt 4~programming~modes~ECO,STANDARD,EXTENDED,CUSTOM}$ Status backlight Yes Dim-out deactivation Yes Time relay: 0-240 sec. Output 2*NO contact Electronic relay Yes Long Description Load compatibility (min./max load): LEDi: 2 * 2 ... 80 W/VA LV LEDi with elec. transformer: 4 ... 800 W/VA LV LEDi with mec. transformer: 4 ... 1000 W CFL: 4 ... 920 W Incandescent lamps: 4 ... 1200 W Halogen lamps: 4 ... 1200 W Blind control (Motor) max. 2 A Cards up to 54 mm width. RFID operation at 13.56 MHz, according to ISO14443B / Mifare ISO14443A standards. Frame included Installation Instructions and 2CLX221460N1001 Manuals Mounting Type Flush Mounted Type of Fastening Mounting with Screw **Environmental** Ambient Air Storage -5 ... +35 °C Storage Operation;-5 ... +50 °C Temperature Degree of Protection **Technical** Data Sheet, Technical 2CLX221460N1001 Information Hotel card **Actuator Type** Connection Type Screw Illumination Non-illuminated Number of Batteries 0 **Electrical** Rated Voltage (Ur) 250 V Rated Current (In) 16 A

AM40644 KA 3/4

Design Range	Millenium
Surface Finishing	Decor, Matt
Material	Metal
Label Space Provided	Yes
Color	Kamale

Dimensions	
Product Net Width	0.102 m
Product Net Height	0.062 m
Product Net Depth / Length	0.102 m
Product Net Weight	0.189 kg

Material Compliance	
RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals	9AKK108468A3363
Reporting Template	
(CMRT)	

Certificates and Declarations	
Declaration of	No declaration needed
Conformity - CE	

Classifications	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Electronic\ Controls$

AM40644 KA 4/4

