



 PRODUCT-DETAILS

8188.4

Socket outlet No color - Platform 8100



General Information

Extended Product Type	8188.4
Product ID	2CLA818840A1001
EAN	8427238272672
Catalog Description	Socket outlet No color - Platform 8100
Long Description	<p>Schuko® socket outlet: Rated voltage: 250 Vac. +/- 10%; 50/60 Hz. Rated current: 16A. Type F: 2P + E. With child safety shutter Operating temperature: -5° C ... 45 °C</p> <p>USB charger: Input current: 0,20 A (with maximum load). Output voltage: 5 Vdc ±5%. Output current: 2.000 mA. USB-port Type: Power consumption in stand-by: <= 0,015W@230Vac. Energy efficiency: >= 79%.</p> <p>Screw terminals Max. torsion 0.8Nm according to ISO 60884-1 Without fixing claws Cover plate code: 8988.4, 8588.4.</p>

Installation

Instructions and Manuals	2CLX850009A1001
--------------------------	-----------------

Technical

Data Sheet, Technical Information	9AKK107046A0356
Number of Phases	2
Socket Outlet Type	Protective Contact (SCHUKO)
Number of Batteries	0

Electrical

Power Loss	0.02 W
------------	--------

Design

Design Range	Platform 8100 Alba Sky Niessen
Color	No color

Dimensions

Product Net Width	0.149 mm
Product Net Height	0.078 mm
Product Net Depth / Length	0.225 mm
Product Net Weight	0.066 kg

Material Compliance

RoHS Information	2CLC818840A1001
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20230816
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Certificates and Declarations

Declaration of Conformity - CE	9AKK108468A8356
--------------------------------	-----------------

Classifications

ETIM 9	EC000125 - Socket outlet
UNSPSC	39121406
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Socket Outlets

