TRFM/100 1/3



PRODUCT-DETAILS

## **TRFM/100**

## Current modular transformer



| General Information   |  |
|-----------------------|--|
| Extended Product Type | TRFM/100   |
| Product ID            | 2CSM100090R1111  |
| EAN                   | 8012542047100  |
| Catalog Description   | Current modular transformer  |
| Long Description      | Used to transform primary currents into/5 A low secondary currents indirectly supplying power to analogue and digital measurement instrument devices. They have through primary and modular case and DIN rail fasten system. |

| Technical                                  |                    |
|--|--------------------|
| Current Rating                             | 100 A              |
| Rated Primary Current (I pn)               | 100 A              |
| Rated Secondary Current (I <sub>sn</sub> ) | 5 A                |
| Current Limit Function                     | FS 5               |
| Apparent Power Output                      | 5 V-A              |
| Secondary Output<br>Connection             | Plug-in connection |

TRFM/100 2/3

| Model Number     | Through-feed current converter |
|------------------|--------------------------------|
| Number of Inputs | Primary 1                      |
| Mounting Type    | DIN-Rail                       |

| Material Compliance                         |  |
|---|--|
| RoHS Information                            | 9AKK106713A5716  |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date                                   | 20230928   |
| REACH Information                           | No data - If REACH inform is not yet available for a certain product   |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363  |

| Environmental        |                      |
|----------------------|----------------------|
| Degree of Protection | IP20                 |
| Environmental        | See RoHS Information |
| Information          |                      |

| Dimensions                 |          |
|----------------------------|----------|
| Product Net Width          | 0.065 m  |
| Product Net Height         | 0.075 m  |
| Product Net Depth / Length | 0.100 m  |
| Product Net Weight         | 0.187 kg |
| Bore Diameter              | 30 mm    |

| Ordering                        |             |
|---------------------------------|-------------|
| Package Level 1 Units           | box 1 piece |
| Package Level 1 Gross<br>Weight | 0.217 kg    |
| E-Number (Finland)              | 6701046     |
| E-Number (Norway)               | 8261072     |

| Certificates and Declarations |                 |
|-------------------------------|-----------------|
| Declaration of                | 9AKK106713A5716 |
| Conformity - CE               |                 |

| Installation     |                    |
|------------------|--------------------|
| Instructions and | No document needed |
| Manuals          |                    |

| Popular Downloads     |                 |
|-----------------------|-----------------|
| Data Sheet, Technical | 9AKK107046A0430 |
| Information           |                 |

TRFM/100 3/3

| Classifications               |  |
|-------------------------------|--|
| ETIM 8                        | EC002048 - Current transformer                             |
| ETIM 9                        | EC002048 - Current transformer                             |
| WEEE Category                 | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B                | Business To Consumer                                       |
| CN8                           | 85043121   |
| eClass                        | V11.0 : 27210902   |
| Object Classification<br>Code | Т  |

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Energy\ Efficiency\ Devices \rightarrow Current\ Transformers$ 





