M1173 1/3



PRODUCT-DETAILS

M1173

Socket outlet



General Information		
Extended Product Type	M1173	
Product ID	2CSM110000R0701	
EAN	8012542004103	
Catalog Description	Socket outlet	
Long Description	This modular socket allows the connection of devices, tools or electrical and electronic non modular equipments in civil and industrial electrical switchboards.	

Technical	
Rated Voltage (U _r)	250 V
Rated Current (I _n)	16 A
Power Loss	at Rated Operating Conditions per Pole 0.6 W
Model Number	Other
Number of Active Pin Terminals	0
Product Type	Italian P30 Standard
Color	Grey

M1173 2/3

Material Compliance	
RoHS Information	9AKK107492A6968
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20170426
REACH Declaration	9AKK108467A9482
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240429
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Degree of Protection	IP20
Environmental Information	See RoHS Information
Dimensions	
Width in Number of Modular Spacings	2.5
Product Net Width	0.045 m
Product Net Height	0.085 m
Product Net Depth / Length	0.070 m
Product Net Weight	0.115 kg
Built-In Depth (t ₂)	60 mm
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.54 kg
E-Number (Finland)	2519720
E-Number (Sweden)	2102800
Certificates and Declarations	
Declaration of Conformity - CE	9AKK107492A6968
Installation	
Instructions and Manuals	No document needed
Popular Downloads	
Data Sheet, Technical Information	2CSC400002D0209

M1173 3/3

Classifications		
ETIM 8	EC001663 - Socket outlet for distribution board	
ETIM 9	EC001663 - Socket outlet for distribution board	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	
CN8	85369010	
UNSPSC	39121406	
eClass	V11.0 : 27142305	
IDEA Granular Category Code (IGCC)	4536 >> Electrical receptacles	
Object Classification Code	х	

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Command\ and\ Signalling\ Devices \rightarrow Socket\ Outlets$





