

PRODUCT-DETAILS

GSH203 A-D50/0.1 AP-R

Residual Current Circuit Breaker with Overcurrent Protection



General Information		
Extended Product Type	GSH203 A-D50/0.1 AP-R	
Product ID	2TAZ222305R3501	
EAN	6957625388461	
Catalog Description	Residual Current Circuit Breaker with Overcurrent Protection	
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GSH203 A-D50/0.1 AP-R	

Technical	
Standards	IEC 61009
	GB 16917
Tripping Characteristic	D
Type of Residual Current	Туре А
Rated Operational	400 V AC
Voltage	
Rated Current (In)	50 A
Rated Residual Current	100 mA
Rated Short-Circuit	6 kA
Capacity	

© 2024 ABB. All rights reserved.

2024/10/18

GSH203 A-D50/0.1 AP-R

Maximum Breaking Capacity	6 kA
Number of Protected Poles	3
Number of Poles	3
Number of Earth Leakage Circuit Breakers (ELCBs)	1
Operating Characteristic	Instantaneous (APR High Immunity)
Release Type	D

CNIIB21EDRCB01216
Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
20211216
CNIIB21EDRCBO121
False - does not contain substances > 0.1 mass percentage
20211217
9AKK108468A3363
100 m/
70 mn
0.093 n
69 mm
0.59 k <u>c</u>
box 1 piece
No declaration needed
No document needec

Popular Downloads

© 2024 ABB. All rights reserved.

Subject to change without notice

1SXF400005C2013

Classifications		
ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB	
ETIM 9	EC002281 - Distributor assembly with combination RCCB/MCB	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	
CN8	85363010	
eClass	V11.0 : 27400618	
Object Classification Code	F	

Categories

Low Voltage Products and Systems \rightarrow Modular DIN Rail Products \rightarrow Residual Current Devices RCDs \rightarrow Residual Current Circuit Breakers with Overcurrent Protection RCBO

