




 PRODUCT-DETAILS

GSH204 AC S-B32/0.1

Residual Current Circuit Breaker with Overcurrent Protection



General Information

Extended Product Type	GSH204 AC S-B32/0.1
Product ID	2TAZ222403R3325
EAN	6957625387457
Catalog Description	Residual Current Circuit Breaker with Overcurrent Protection
Long Description	Residual Current Circuit Breaker with Overcurrent Protection GSH204 AC S-B32/0.1

Technical

Standards	IEC 61009 GB 16917
Tripping Characteristic	B
Type of Residual Current	Type AC
Rated Operational Voltage	230 / 400 V AC
Rated Current (I_n)	32 A
Rated Residual Current	100 mA
Rated Short-Circuit Capacity	6 kA
Maximum Breaking Capacity	6 kA
Rated Frequency (f)	50 ... 60 Hz

Number of Protected Poles	4
Number of Poles	4
Number of Earth Leakage Circuit Breakers (ELCBs)	1
Operating Characteristic	Selective
Position of Neutral Terminals	Right
Release Type	B

Material Compliance

RoHS Information	CNIIB21EDRCBO1216
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20211216
REACH Declaration	CNIIB21EDRCBO1217
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20211217
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	100 mA
-------------------------------------	--------

Dimensions

Product Net Width	125 mm
Product Net Height	0.093 m
Product Net Depth / Length	85 mm
Product Net Weight	0.604 kg

Ordering

Package Level 1 Units	box 1 piece
-----------------------	-------------

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	1SXF400005C2013
-----------------------------------	-----------------

Classifications

ETIM 8	EC002281 - Distributor assembly with combination RCCB/MCB
ETIM 9	EC002281 - Distributor assembly with combination RCCB/MCB
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363010
eClass	V11.0 : 27400618
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Circuit Breakers with Overcurrent Protection RCBO

