





---

 PRODUCT-DETAILS

# GDA202 AC S-63/0.3

## Residual Current Device Block




---

**General Information**

Extended Product Type	GDA202 AC S-63/0.3
Product ID	2TAZ810203R4630
EAN	6940342292944
Catalog Description	Residual Current Device Block
Long Description	Residual Current Device Block GDA202 AC S-63/0.3

---

**Technical**

Type of Residual Current	Type AC
Rated Voltage ( $U_r$ )	230...230 V
Rated Insulation Voltage ( $U_i$ )	500 V
Rated Impulse Withstand Voltage ( $U_{imp}$ )	4 kV
Rated Current ( $I_n$ )	63 A
Rated Residual Current	300 mA
Maximum Surge Current	3 kA
Leakage Current Type	AC
Rated Frequency (f)	50 ... 60 Hz

Number of Poles	2
Operating Characteristic	Selective
Connecting Capacity	Rigid 25 ... 25 mm <sup>2</sup> Flexible 25 ... 25 mm <sup>2</sup>

## Material Compliance

RoHS Information	CNIIB22EDDA0512
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20220512
REACH Declaration	CNIIB22EDMFCB0928
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20220928
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Environmental

Ambient Temperature	-25...55 °C
Ambient Air Temperature	Operation -25...55 °C
Degree of Protection	IP2X
Pollution Degree	2

## Technical UL/CSA

Short-Circuit Current Rating (SCCR)	0.3 ... 0.3 A
-------------------------------------	---------------

## Dimensions

Product Net Width	0.070 m
Product Net Height	0.093 m
Product Net Depth / Length	0.069 m
Product Net Weight	0.174 kg

## Ordering

Package Level 1 Units	box 1 piece
-----------------------	-------------

## Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

## Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

## Popular Downloads

Data Sheet, Technical	1SXF400005C2013
-----------------------	-----------------

---

**Information**

---

---

**Classifications**

---

ETIM 8	EC002297 - Residual current circuit breaker (RCCB) module
ETIM 9	EC002297 - Residual current circuit breaker (RCCB) module
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363030
eClass	V11.0 : 27142210
Object Classification Code	F

---

---

**Categories**

---

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Devices RCD Blocks

