10621U4P 1/3



PRODUCT-DETAILS

10621U4P

Switch Jussi Two-way switch Aluminium -Jussi



General Information	
Extended Product Type	10621U4P
Product ID	2TKA00002620
EAN	6438199004402
Catalog Description	Switch Jussi Two-way switch Aluminium - Jussi
Long Description	Switch with screwless terminals and rocker with clip-on fastening. The terminals are for max 2 rigid wires.

Installation	
Instructions and Manuals	No document needed
Mounting Type	Surface mounted (plaster)
Type of Fastening	Screw

Environmental	
Degree of Protection	IP21

10621U4P 2/3

Technical	
Data Sheet, Technical Information	No document needed
Number of Rocker Switches	1
Wiring Configuration	Two-way switch
Actuator Type	Rocker/button
Connection Type	Push-In
Illumination	Non-illuminated
Number of Batteries	0

Electrical	
Rated Voltage (U _r)	250 V
Rated Current (I _n)	16 A
Maximum Switching Current	Fluorescent Lamps 16 A

Design	
Design Range	Jussi
Surface Finishing	Lacquered Matt
Material	Plastic, Thermoplastic
Label Space Provided	No
RAL Number	RAL 9006 - White Aluminium
Color	Aluminium

Dimensions	
Product Net Width	0.085 mm
Product Net Height	33 mm
Product Net Depth / Length	85 mm
Product Net Weight	0.035 kg
Built-In Depth (t ₂)	18 mm

Material Compliance	
RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK106713A4633
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	f69ac24c-fe44-47c8-b01f-1c977f5f47ea Finland (FI)

Certificates and Declarations

10621U4P 3/3

Declaration of 9AKK10103A2377
Conformity - CE

Classifications	
ETIM 9	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Mechanical\ Controls$

