202 EUJB-94 1/3



PRODUCT-DETAILS

202 EUJB-94

Socket Safety Shutter alpine white - Basic55



General Information	
Extended Product Type	202 EUJB-94
Product ID	2TKA00003906
EAN	6438199005515
Catalog Description	Socket Safety Shutter alpine white - Basic55
Long Description	Complete cover. With screwless terminals. DP (2 P + E) Suitable for 1gang flush- mounted boxes.
Installation	
Instructions and Manuals	No document needed
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Claw

Environmental	
Degree of Protection	

Mounting with Screw

202 EUJB-94 2/3

Technical	
Data Sheet, Technical Information	No document needed
Function	with enhanced contact protection
Number of Poles	2+PE
Number of Phases	1
Number of Gangs	2
Connection Type	Plug Clamp
Socket Outlet Type	Protective Contact (SCHUKO)
Terminal Type	Screwless Terminals
Safety Function Option	Safety Shutter

Electrical	
Rated Voltage (U _r)	250 V
Rated Current (In)	16 A
Rated Frequency (f)	50 Hz

Design	
Design Range	Basic55
Surface Finishing	Untreated Glossy
Material	Thermoplastic
Label Space Provided	No
RAL Number	Similar to RAL 9010
Color	alpine white

Dimensions	
Product Net Width	110 mm
Product Net Height	85 mm
Product Net Depth / Length	45 mm
Product Net Weight	124.44 g
Built-In Depth (t ₂)	32 mm

Material Compliance	
RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240313
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Certificates and Declarations

202 EUJB-94 3/3

Declaration of 9AKK108468A6801 Conformity - CE

Classifications	
ETIM 9	EC000125 - Socket outlet
eClass	V11.0 : 27144042
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Socket\ Outlets$

