



PRODUCT-DETAILS

JSTD25F

JSTD25F Two-Hand device



360°

General Information	
Extended Product Type	JSTD25F
Product ID	2TLA020007R6000
EAN	7350024460322
Catalog Description	JSTD25F Two-Hand device
Long Description	<p>JSTD25F is a two-hand device with two JSTD1-B Safeball. The Safeball are mounted on each end of a 44x88 aluminum profile designed for two-hand applications. The Safeball are pre-wired to a M12-5 male connector and protected by flanges.</p> <p>The JSTD25 control stations are pre-built two-hand devices offering the good ergonomics of Safeball. They can be used as fixed devices that are easy to install, or as mobile devices. All models are equipped with flanges to protect the Safeball from accidental operation, and from damage if the device is dropped on the floor when used as mobile device.</p>

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85365011
Product Main Type	JSTD25
Product Name	Two-Hand device

Popular Downloads

Data Sheet, Technical Information	2TLC010001C0202
Data Sheet, Technical Information (Part 2)	2TLC010068D0201
Instructions and Manuals	2TLC172185M0201
CAD Dimensional Drawing	2CDC001079B0201
Marketing Video	2TLC010018N0201

Dimensions

Product Net Depth / Length	90.5 mm
Product Net Height	130 mm
Product Net Width	370 mm
Product Net Weight	1.167 kg

Safety Information

Performance Level (PL)	Up to e
------------------------	---------

Technical

Connection Configuration	M12-5 male
--------------------------	------------

Environmental

Degree of Protection	IP65
----------------------	------

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006480
RoHS Information	2CMT2022-006499
SCIP	42da10e4-304b-429c-a19b-e7e423ea4a46 Sweden (SE)
Simplified SCIP	97e15e37-db6c-446f-801a-b5f275236a92 Germany (DE) a5e03bc2-e08f-4e5f-91e0-e2a6022c7401 Germany (DE) aca3a997-c659-4be4-b609-023505b3ba53 Denmark (DK) 022f601d-a574-4cee-9534-90506ed97e9d Germany (DE) da512a99-de13-42b9-a13c-894d4931319f France (FR) 1f88f664-80bc-41ef-b48c-a024c01fe7ec Germany (DE) ffb7a5d9-21d0-4c3b-b09b-62caa1d14cfb Germany (DE) 4073f40e-2acd-4541-a47f-d4dc69699bf4 France (FR) 55afaca5-c332-476d-8d9e-63439ee78762 Hungary (HU) efe8780f-73f9-4662-9b53-c87e12be5409 Spain (ES) a8ed9a66-bd77-470b-9b20-88169c7fd6b0 Belgium (BE) 670ce3d1-5410-42ce-860e-592557fbd95e Greece (GR) ac345f7d-473c-4d07-88f8-a7c423daaa0c Portugal (PT) a99fb7e6-595d-42c6-8202-06f4d51e65d4 Bulgaria (BG)

a05ea8da-6a17-4781-b9f9-3b5d023c9124 Sweden (SE)
 dbaa511b-ef5c-42d5-800c-9a0bc5a16474 Poland (PL)
 47f175b4-cb55-439d-a361-03104c8d5f48 Poland (PL)
 bec3e70f-4a22-4e3e-a727-4bd953452da5 Norway (NO)
 a48feba5-29e0-418f-b7f6-6556626fcd2 Finland (FI)
 6a237637-9d9a-4ac5-9cac-962d76ef79ae Belgium (BE)
 5224091e-274b-4f8d-902c-bb6779539b8a Italy (IT)
 034ca2f6-1bd6-479e-b81a-2ddf61797ab6 Croatia (HR)
 3b0ce702-820b-4834-a5cd-b496de4671bd Czech Republic (CZ)
 90b574af-db0c-4a0a-9b6a-980e7482a60a Poland (PL)
 8e191abe-45a6-40a2-a195-e866ddb825c5 Netherlands (NL)
 5d6e9fcd-e286-4d7e-af80-badd5fe8752e Hungary (HU)
 6f6468af-8d0e-4fa9-be5a-126bac941460 Estonia (EE)

Toxic Substances Control Act - TSCA	2CMT2023-006522
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	2TLC172023D0201
Declaration of Conformity - UKCA	2TLC010204D0201
SEMKO Certificate	2TLC172034D0201

Container Information


Package Level 1 Units	1 piece
Package Level 1 Width	38.2 mm
Package Level 1 Depth / Length	95 mm
Package Level 1 Height	140 mm
Package Level 1 Gross Weight	1.317 kg
Package Level 1 EAN	7350024460322

Classifications

eClass	V11.0 : 27371219
ETIM 7	EC001260 - Two-hand control device
ETIM 8	EC001260 - Two-hand control device
ETIM 9	EC001260 - Two-hand control device
IDEA Granular Category Code (IGCC)	3584 >> Safety Control Module
UNSPSC	32151802
Object Classification Code	B

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices → JSTD25



360°