

PRODUCT-DETAILS

ACQ580-PD-180A-4+B056

LV AC Packaged drive with disconnect and fuses, UL: Pld 150 Hp, 180 A, 460 V (ACQ580-PD-180A-4+B056)



General Information	
Global Commercial Alias	ACQ580-PD-180A-4+B056
Product ID	3AXD50000706297
ABB Type Designation	ACQ580-PD-180A-4+B056
EAN	6438177646211
Catalog Description	LV AC Packaged drive with disconnect and fuses, UL: Pld 150 Hp, 180 A, 460 V (ACQ580- PD-180A-4+B056)
Long Description	The ACQ580-PD drives deliver the ACQ580 Product Series features delivering innovative pump features for the water and wastewater industry, securing energy-efficient flow of water and wastewater in your pumping solutions. This robust and compact wall-mounted packaged drive has built-in pump application functionality such as sensorless flow calculation, multi-pump control, level control, soft pipe fill, dry run protection, quick ramps, and a solution for keeping the impeller of the pump clean. Usability is further enhanced with the intuitive Hand-Off-Auto control panel, the PC tool Drive composer, an optional Bluetooth® control panel, and a UL-approved electronic motor overload. The built-in energy calculator visualizes the energy savings achieved with the use of the drive.

Ordering		
Country of Origin		United States (US)
Customs Tariff Number		85044080
Invoice Description	ACQ580-PD-180	A-4+B056, PLD 150 HP, I2LD 180 A
Made To Order		No
© 2024 ABB. All rights reserved.	2024/10/22	Subject to chang

Subject to change without notice

ACQ580-PD-180A-4+B056

Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

Dimensions	
Product Net Weight	359 lb
Product Net Depth / Length	19.04 in
Product Net Height	54.18 in
Product Net Width	28.24 in

Technical	
Number of Phases	3
Degree of Protection	IP55
Enclosure Type NEMA	Type12
Frequency (f)	50/60 Hz
Frame Size	Undefined
Input Voltage (U _{in})	440 480 V

Technical UL	
Output Current, Light- Overload Use (UL)	180 A
Output Power, Light- Overload Use (UL)	150 Hp

Classifications	
UNSPSC	39121007

Additional Information	
Product Name	AC Drive

Categories

 $\label{eq:construction} \text{Drives} \rightarrow \text{Low Voltage AC Drives} \rightarrow \text{Industry-Specific Drives} \rightarrow \text{Drives for Water} \rightarrow \text{ACQ580-PD} \text{-} \text{Drive with disconnect US}$



