




PRODUCT-DETAILS

3GBL202417-BSB

M3BL 200MLA 4



General Information

Product ID	3GBL202417-BSB
ABB Type Designation	M3BL 200MLA 4
Catalog Description	M3BL 200MLA 4

Ordering

ABB Type Designation	M3BL 200MLA 4
Invoice Description	M3BL 200MLA 4
Product Name	3-Phase synchronous motor
Product Type	3BL0_M3BL_SynRM_CI
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	Finland (FI)
Customs Tariff Number	85015290
Replaced Product ID (OLD)	3GBL202001-BSB

Stocked At
(Warehouses)

Menden, Germany

Electrical

Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	Operational Voltage
Y	--	50 Hz	400 V	62.00 kW	3000 r/min	144.00 A	0.710	95.10 %	197.00 N·m	370 V

Temperature Class Default	--
Motor Operational Voltage	370 V
Altitude	1000 m
Ambient Temperature	40 °C
IC Class	IC411
IE Class Data (50 Hz)	IE Class IE4 Full Load (100%) 95.1 % Partial Load (75%) 94.7 % Partial Load (50%) 93.5 %
IP Class	IP55
Insulation Class	ICLF
Direction of Rotation	Both sides
Number of Poles (High)	4
Two Speed Motor	No
Type of Duty	S9
Voltage Code	S

Mechanical

Frame Material	Cast Iron
Frame Size	200
Bearing	6312-2Z/C3
Bearing NDE	6210-2Z/C3
IM Class	IMB5 IM3001
Terminator Box Location	D-End top

Dimensions

Package Level 1 Units	0 pallet (lift)
Product Net Weight	279 kg
Gross Weight	289 kg

Environmental

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
---------------	---

Classifications

UNSPSC	26101100
--------	----------

Categories

Motors and Generators → IEC Low Voltage AC Motors → Synchronous Reluctance Motors → High Output SynRM Motors

