



PRODUCT-DETAILS

3GET312733-AUB**M3ET 315C 4****General Information**

Product ID	3GET312733-AUB
ABB Type Designation	M3ET 315C 4
Catalog Description	M3ET 315C 4

Ordering

ABB Type Designation	M3ET 315C 4
Invoice Description	M3ET 315C 4
Product Name	High dynamic performance motors
Product Type	3ETB__M3ET__HDP__IP55_
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	Finland (FI) China (CN)
Customs Tariff Number	85015394

Electrical

Electrical Data

Conn	Temp Class	Freq	Voltage	Power	Speed	Current	Power Factor	Efficiency	Torque	Operational Voltage
D	--	60 Hz	690 V	590.00 kW	1750 r/min	614.00 A	0.900	96.30 %	3219.00 N-m	640 V

Temperature Class Default	--
Motor Operational Voltage	640 V
Altitude	1000 m
Ambient Temperature	40 °C
IC Class	IC416
IE Class Data (50 Hz)	IE Class IE3 Full Load (100%) 96.3 % Partial Load (75%) 96.4 % Partial Load (50%) 96.2 %
IE Class Data (60 Hz)	IE Class IE3 Full Load (100%) 96.3 % Partial Load (75%) 96.4 % Partial Load (50%) 96.2 %
IP Class	IP55
Insulation Class	ICLH
Direction of Rotation	Both sides
Number of Poles (High)	4
Two Speed Motor	No
Type of Duty	S9
Voltage Code	U

Mechanical

Frame Material	Welded Steel
Frame Size	315
Bearing	6326M/C3
Bearing NDE	6322/C4VL0241
IM Class	IMB3 IM1001
Terminator Box Location	D-End top

Dimensions

Package Level 1 Units	0 pallet (lift)
Product Net Weight	2800 kg
Gross Weight	2820 kg

Environmental

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
---------------	---

Classifications

UNSPSC	26101100
--------	----------

Categories

Motors and Generators → IEC Low Voltage AC Motors → High Dynamic Performance Motors → HDP Induction Motors

