

PRODUCT-DETAILS

1LE22212AA113AA3**No Description Available****General Information**

| | |
|-------------------------|----------------------------------|
| Global Commercial Alias | 1LE22212AA113AA3 |
| Product ID | 7B1LE22212AA113AA3 |
| ABB Type Designation | MOTOR,7.5,3600,GP100,575,213T,NP |
| Catalog Description | No Description Available |

Additional Information

| | |
|-----------------------|----------------------------------|
| ABB Type Designation | MOTOR,7.5,3600,GP100,575,213T,NP |
| Ambient Temperature | 40 °C |
| Bearing | 6208, Ball |
| Bearing NDE | 6208 |
| Brake Present | No |
| Brand / Label | ABB NEMA Motors |
| Catalog Number | 1LE22212AA113AA3 |
| Country of Origin | Mexico (MX) |
| Customs Tariff Number | 8501520400 |
| Drive End Flange Type | Standard |
| Efficiency Level | Premium Efficiency (NEMA 12-12) |
| Electrical Data | |

Current

An error has occurred while processing HtmlTextBox "
The expression contains undefined function call GetListItemValue().

| | |
|-------------------------|----------------------|
| Enclosure Type | TEFC |
| Frame Material | Cast Iron |
| Frame Size | Undefined |
| Global Commercial Alias | 1LE22212AA113AA3 |
| Gross Volume | 0.165 m ³ |
| Gross Weight | 79 lb |
| IP Class | IP55 |
| Insulation Class | F |
| Made To Order | No |



Freq

An error has occurred while processing HtmlTextBox "
The expression contains undefined function call GetListItemValue().

Power

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Speed

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Voltage

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

| | |
|---------------------------------|--|
| Minimum Order Quantity | 1 piece |
| Motor Base Type | Foot Mounted |
| Motor Frame Size | 213T |
| Mounting Orientation | Horizontal |
| Mounting Position | F1 |
| NEMA Design Code | B |
| Number of Phases | 3 |
| Number of Poles | 2 |
| Number of Poles (High) | 2 |
| Number of Speeds | single_speed |
| Order Multiple | 1 piece |
| Output Power | 7.5 Hp 5 Hp |
| Power Factor | 89.2 % |
| Product Name | General Purpose CI |
| Product Net Depth / Length | 0 in |
| Product Net Height | 0 in |
| Product Net Weight | 73 lb |
| Product Net Width | 0 in |
| Product Type | Undefined |
| Quote Only | No |
| Rated Current (I _n) | 7.04 A |
| Rated Efficiency | 89.5 % |
| Rated Speed | 2948 r/min 3520 r/min |
| Selling Unit of Measure | piece |
| Service Factor | 1.15 |
| Standards | NEMA |
| Starting of Motor | Direct on line |
| Stocked At (Warehouses) | Fort Smith Ar, United States Tlajomulco de Zuniga, Mexico 3600 r/min |
| Type of Duty | Continuous |
| Voltage Rating | 575 V |

